

[Musician advantage for segregation of competing speech in native tonal language speakers.pdf](#) Liu Y, Cheng X, Ding C, **Galvin JJ 3rd**, Chen B, Fu QJ. Music Percept. 2024 Sep1; 42(1): 73–91. Doi: 10.1525/mp.2024.42.1.73. 2024 Sep1; 42(1): 73–91. Doi: 10.1525/mp.2024.42.1.73

[Tonal language experience facilitates the use of spatial cues for segregating competing speech in bimodal cochlear implant listeners.](#) Chen B, Zhang X, Chen J, Shi Y, Zou X, Liu P, Li Y, **Galvin JJ 3rd**, Fu QJ. JASA Express Lett. 2024 Mar 1;4(3):034401. doi: 10.1121/10.0025058.

[Microbubble-assisted ultrasound for inner ear drug delivery.](#) Micaletti F, Escoffre JM, Kerneis S, Bouakaz A, **Galvin JJ 3rd**, Boullaud L, Bakhos D. Adv Drug Deliv Rev. 2024 Jan;204:115145. doi: 10.1016/j.addr.2023.115145.

[Emotional prosody perception and production are linked in prelingually deaf children with cochlear implants.](#) Chatterjee M, Feller A, Kulkarni AM, **Galvin JJ**. JASA Express Lett. 2023 Dec 1;3(12):127601. doi: 10.1121/10.0023996.

[Frequency detection, frequency discrimination, and spectro-temporal pattern perception in older and younger typically hearing adults.](#) Tao DD, Shi B, **Galvin JJ**, Liu JS, Fu QJ. Heliyon. 2023 Aug 6;9(8):e18922. doi: 10.1016/j.heliyon.2023.e18922.

[Effect of relative masker levels on speech recognition in two-talker maskers with varying perceptual similarity to the target speech.](#) Thomas M, **Galvin JJ**, Fu QJ. JASA Express Lett. 2023 Jul 1;3(7):074402. doi: 10.1121/10.0019955.

[Suprathreshold auditory processes in listeners with normal audiograms but extended high-frequency hearing loss.](#) Mishra SK, Fu QJ, **Galvin JJ**, Galindo A. J Acoust Soc Am. 2023 May 1;153(5):2745. doi: 10.1121/10.0019337.

[Preliminary evaluation of computer-assisted home training for French cochlear implant recipients.](#) Kerneis S, **Galvin JJ 3rd**, Borel S, Baqué J, Fu QJ, Bakhos D. PLoS One. 2023 Apr 28;18(4):e0285154. doi: 10.1371/journal.pone.0285154.

[Importance of ipsilateral residual hearing for spatial hearing by bimodal cochlear implant users.](#) Thomas M, **Galvin JJ 3rd**, Fu QJ. Sci Rep. 2023 Mar 27;13(1):4960. doi: 10.1038/s41598-023-32135-0.

[Ten-year follow-up of auditory brainstem implants: From intra-operative electrical auditory brainstem responses to perceptual results.](#) Veronese S, Cambiaghi M, Tommasi N, Sbarbati A, **Galvin JJ 3rd**. PLoS One. 2023 Mar 2;18(3):e0282261. doi: 10.1371/journal.pone.0282261.

[Sonoporation of the Round Window Membrane on a Sheep Model: A Safety Study.](#) Kerneis S, Escoffre JM, **Galvin JJ 3rd**, Bouakaz A, Presset A, Alix C, Oujagir E, Lefèvre A, Emond P, Blasco H, Bakhos D. Pharmaceutics. 2023 Jan 29;15(2):442. doi: 10.3390/pharmaceutics15020442.

[Cochlear Implant Facilitates the Use of Talker Sex and Spatial Cues to Segregate Competing Speech in Unilaterally Deaf Listeners.](#) Chen J, Shi Y, Kong Y, Chen B, Zhang L, **Galvin JJ 3rd**, Li Y, Fu QJ. Ear Hear. 2023 Jan-Feb 01;44(1):77-91. doi: 10.1097/AUD.0000000000001254.

[Clinical and biochemical footprints of inherited metabolic diseases. IX. Metabolic ear disease.](#) Bakhos D, Blasco H, **Galvin JJ 3rd**, Ferreira CR, Blau N. Mol Genet Metab. 2022 Nov;137(3):223-229. doi: 10.1016/j.ymgme.2022.09.005.

[Speech understanding in diffuse steady noise in typically hearing and hard of hearing listeners.](#) Bestel J, Legris E, Rembaud F, Mom T, **Galvin JJ 3rd**. PLoS One. 2022 Sep 14;17(9):e0274435. doi: 10.1371/journal.pone.0274435.

[Effects of tonotopic matching and spatial cues on segregation of competing speech in simulations of bilateral cochlear implants.](#) Thomas M, Willis S, **Galvin JJ 3rd**, Fu QJ. PLoS One. 2022 Jul 5;17(7):e0270759. doi: 10.1371/journal.pone.0270759.

[The P300 auditory event-related potential may predict segregation of competing speech by bimodal cochlear implant listeners.](#) Tao DD, Zhang YM, Liu H, Zhang W, Xu M, **Galvin JJ 3rd**, Zhang D, Liu JS. Front Neurosci. 2022 Jun 10;16:888596. doi: 10.3389/fnins.2022.888596.

[Effect of Ipsilateral, Contralateral or Bilateral Repetitive Transcranial Magnetic Stimulation in Patients with Lateralized Tinnitus: A Placebo-Controlled Randomized Study.](#) Li Y, Shen YC, **Galvin JJ 3rd**, Liu JS, Tao DD. Brain Sci. 2022 Jun 2;12(6):733. doi: 10.3390/brainsci12060733.

[Relationship between behavioral and objective measures of sound intensity in normal-hearing listeners and hearing-aid users: a pilot study.](#) Legris E, **Galvin J**, Mofid Y, Aguillon-Hernandez N, Roux S, Aoustin JM, Gomot M, Bakhos D. Brain Sci. 2022 Mar 15;12(3):392. doi: 10.3390/brainsci12030392.

[Segregation of competing speech in adults and children with normal hearing and in children with cochlear implants.](#) Liu JS, Liu YW, Yu YF, **Galvin JJ 3rd**, Fu QJ, Tao DD. J Acoust Soc Am. 2021 Jul;150(1):339. doi: 10.1121/10.0005597.

[Sensitivity to Pulse Phase Duration as a Marker of Neural Health Across Cochlear Implant Recipients and Electrodes.](#) Zhou N, Zhu Z, Dong L, **Galvin J 3rd**. J Assoc Res Otolaryngol. 2021 Apr;22(2):177-192. doi: 10.1007/s10162-021-00784-5.

[Melodic interval perception with acoustic and electric hearing in bimodal and single-sided deaf cochlear implant listeners.](#) Spitzer ER, **Galvin JJ 3rd**, Friedmann DR, Landsberger DM. Hear Res. 2021 Feb;400:108136. doi: 10.1016/j.heares.2020.108136.

[Interactions among talker sex, masker number, and masker intelligibility in speech-on-speech recognition.](#) Thomas M, **Galvin JJ 3rd**, Fu QJ. JASA Express Lett. 2021 Jan;1(1):015203. doi: 10.1121/10.0003051. PMID: 33589889

[Bilateral and bimodal cochlear implant listeners can segregate competing speech using talker sex cues, but not spatial cues.](#) Willis S, Xu K, Thomas M, Gopen Q, Ishiyama A, **Galvin JJ 3rd**, Fu QJ. JASA Express Lett. 2021 Jan;1(1):014401. doi: 10.1121/10.0003049.

[Training outcomes for audiology students using virtual reality or traditional training methods.](#) Bakhos D, **Galvin J**, Aoustin JM, Robier M, Kerneis S, Bechet G, Montembault N, Laurent S, Godey B, Aussedat C. PLoS One. 2020 Dec 3;15(12):e0243380. doi: 10.1371/journal.pone.0243380.

[Tinnitus impairs segregation of competing speech in normal-hearing listeners.](#) Liu YW, Wang B, Chen B, **Galvin JJ 3rd**, Fu QJ. Sci Rep. 2020 Nov 16;10(1):19851. doi: 10.1038/s41598-020-76942-1.

[Effects of noise on integration of acoustic and electric hearing within and across ears.](#) Willis S, Moore BCJ, **Galvin JJ 3rd**, Fu QJ. PLoS One. 2020 Oct 15;15(10):e0240752. doi: 10.1371/journal.pone.0240752.

[Development of cortical auditory responses to speech in noise in unilaterally deaf adults following cochlear implantation.](#) Legris E, **Galvin J**, Roux S, Aoustin JM, Bakhos D. PLoS One. 2020 Sep 25;15(9):e0239487. doi: 10.1371/journal.pone.0239487.

[Effects of Monaural Asymmetry and Target-Masker Similarity on Binaural Advantage in Children and Adults With Normal Hearing.](#) Liu JS, Yu YF, Tao DD, Li Y, Ye F, **Galvin JJ 3rd**, Gopen Q, Fu QJ. J Speech Lang Hear Res. 2020 Aug 10;63(8):2811-2824. doi: 10.1044/2020_JSLHR-19-00269.

[Tonal Language Speakers Are Better Able to Segregate Competing Speech According to Talker Sex Differences.](#) Zhang J, Wang X, Wang NY, Fu X, Gan T, **Galvin JJ 3rd**, Willis S, Xu K, Thomas M, Fu QJ. J Speech Lang Hear Res. 2020 Aug 10;63(8):2801-2810. doi: 10.1044/2020_JSLHR-19-00421.

[A behavioral method to estimate charge integration efficiency in cochlear implant users.](#) Zhou N, Dong L, **Galvin JJ 3rd**. J Neurosci Methods. 2020 Aug 1;342:108802. doi: 10.1016/j.jneumeth.2020.108802.

[Effect of pulse phase duration on forward masking and spread of excitation in cochlear implant listeners.](#) Zhou N, Zhu Z, Dong L, **Galvin JJ 3rd**. PLoS One. 2020 Jul 20;15(7):e0236179. doi: 10.1371/journal.pone.0236179.

[Using virtual reality in audiological training: Our experience in 22 otolaryngology residents.](#) Aussedat C, Robier M, Aoustin JM, Parietti-Winkler C, Lescanne E, Bonnard D, Marx M, Teissier N, Van Den Abbeele T, François M, **Galvin J**, Bakhos D. Clin Otolaryngol. 2020 Jul;45(4):643-648. doi: 10.1111/coa.13554.

[Cortical auditory responses according to hearing rehabilitation in unilateral hearing loss.](#) Legris E, Roux S, Aoustin JM, **Galvin J**, Bakhos D. Eur Ann Otorhinolaryngol Head Neck Dis. 2019 Nov;136(6):439-445. doi: 10.1016/j.anorl.2019.08.001.

[Factors Affecting Bimodal Benefit in Pediatric Mandarin-Speaking Chinese Cochlear Implant Users.](#) Liu YW, Tao DD, Chen B, Cheng X, Shu Y, **Galvin JJ 3rd**, Fu QJ. Ear Hear. 2019 Nov/Dec;40(6):1316-1327. doi: 10.1097/AUD.0000000000000712.

[Pleasantness Ratings for Harmonic Intervals With Acoustic and Electric Hearing in Unilaterally Deaf Cochlear Implant Patients.](#) Spitzer ER, Landsberger DM, Friedmann DR, **Galvin JJ 3rd**. *Front Neurosci*. 2019 Sep 3;13:922. doi: 10.3389/fnins.2019.00922.

[Benefits of Cochlear Implantation for Single-Sided Deafness: Data From the House Clinic-University of Southern California-University of California, Los Angeles Clinical Trial.](#) **Galvin JJ 3rd**, Fu QJ, Wilkinson EP, Mills D, Hagan SC, Lupo JE, Padilla M, Shannon RV. *Ear Hear*. 2019 Jul/Aug;40(4):766-781. doi: 10.1097/AUD.0000000000000671.

[Cortical reorganization after cochlear implantation for adults with single-sided deafness.](#) Legris E, **Galvin J**, Roux S, Gomot M, Aoustin JM, Marx M, He S, Bakhos D. *PLoS One*. 2018 Sep 24;13(9):e0204402. doi: 10.1371/journal.pone.0204402.

[Effects of age and duration of deafness on Mandarin speech understanding in competing speech by normal-hearing and cochlear implant children.](#) Tao DD, Liu YW, Fei Y, **Galvin JJ 3rd**, Chen B, Fu QJ. *J Acoust Soc Am*. 2018 Aug;144(2):EL131. doi: 10.1121/1.5051051.

[Musician effect on perception of spectro-temporally degraded speech, vocal emotion, and music in young adolescents.](#) Başkent D, Fuller CD, **Galvin JJ 3rd**, Schepel L, Gaudrain E, Free RH. *J Acoust Soc Am*. 2018 May;143(5):EL311. doi: 10.1121/1.5034489.

[Intelligibility of naturally produced and synthesized Mandarin speech by cochlear implant listeners.](#) Shi Y, Chen J, Gong Y, Chen B, Li Y, **Galvin JJ 3rd**, Fu QJ. *J Acoust Soc Am*. 2018 May;143(5):2886. doi: 10.1121/1.5037590.

[The Benefits of Residual Hair Cell Function for Speech and Music Perception in Pediatric Bimodal Cochlear Implant Listeners.](#) Cheng X, Liu Y, Wang B, Yuan Y, **Galvin JJ 3rd**, Fu QJ, Shu Y, Chen B. *Neural Plast*. 2018 Apr 15;2018:4610592. doi: 10.1155/2018/4610592.

[Binaural Perception in Single-Sided Deaf Cochlear Implant Users with Unrestricted or Restricted Acoustic Hearing in the Non-Implanted Ear.](#) Dorbeau C, **Galvin J**, Fu QJ, Legris E, Marx M, Bakhos D. *Audiol Neurotol*. 2018;23(3):187-197. doi: 10.1159/000490879.

[Comparison of Two Music Training Approaches on Music and Speech Perception in Cochlear Implant Users.](#) Fuller CD, **Galvin JJ 3rd**, Maat B, Başkent D, Free RH. Trends Hear. 2018 Jan-Dec;22:2331216518765379. doi: 10.1177/2331216518765379.

[Music and Speech Perception in Children Using Sung Speech.](#) Nie Y, **Galvin JJ 3rd**, Morikawa M, André V, Wheeler H, Fu QJ. Trends Hear. 2018 Jan-Dec;22:2331216518766810. doi: 10.1177/2331216518766810.

[Music Training Can Improve Music and Speech Perception in Pediatric Mandarin-Speaking Cochlear Implant Users.](#) Cheng X, Liu Y, Shu Y, Tao DD, Wang B, Yuan Y, **Galvin JJ 3rd**, Fu QJ, Chen B. Trends Hear. 2018 Jan-Dec;22:2331216518759214. doi: 10.1177/2331216518759214.

[Cortical Processing of Vocal and Nonvocal Sounds in Cochlear-Implanted Children: An Electrophysiological Study.](#) Bakhos D, **Galvin J**, Roux S, Lescanne E, Bruneau N. Ear Hear. 2018 Jan/Feb;39(1):150-160. doi: 10.1097/AUD.0000000000000475.

[Effect of carrier bandwidth on integration of simulations of acoustic and electric hearing within or across ears.](#) Fu QJ, **Galvin JJ 3rd**, Wang X. J Acoust Soc Am. 2017 Dec;142(6):EL561. doi: 10.1121/1.5017530.

[Integration of acoustic and electric hearing is better in the same ear than across ears.](#) Fu QJ, **Galvin JJ 3rd**, Wang X. Sci Rep. 2017 Oct 2;7(1):12500. doi: 10.1038/s41598-017-12298-3.

[Validation of list equivalency for Mandarin speech materials to use with cochlear implant listeners.](#) Li Y, Wang S, Su Q, **Galvin JJ**, Fu QJ. Int J Audiol. 2017;56(sup2):S31-S40. doi: 10.1080/14992027.2016.1204564.

[Effects of insertion depth on spatial speech perception in noise for simulations of cochlear implants and single-sided deafness.](#) Zhou X, Li H, **Galvin JJ 3rd**, Fu QJ, Yuan W. Int J Audiol. 2017;56(sup2):S41-S48. doi: 10.1080/14992027.2016.1197426.

[The development and validation of the Closed-set Mandarin Sentence \(CMS\) test.](#) Tao DD, Fu QJ, Galvin JJ 3rd, Yu YF. Speech Commun. 2017 Sep;92:125-131. doi: 10.1016/j.specom.2017.06.008. Epub 2017 Jun 30. PMID: 29200541

[Perception of Sung Speech in Bimodal Cochlear Implant Users.](#) Crew JD, **Galvin JJ 3rd**, Fu QJ. Trends Hear. 2016 Nov 11;20:2331216516669329. doi: 10.1177/2331216516669329.

[The effect of the transducers on paediatric thresholds estimated with auditory steady-state responses.](#) Bakhos D, Vitaux H, Villeneuve A, Kim S, Lescanne E, Pigeon V, Aoustin JM, Bordure P, **Galvin J.** Eur Arch Otorhinolaryngol. 2016 Aug;273(8):2019-26. doi: 10.1007/s00405-015-3761-z.

[Effects of Within-Talker Variability on Speech Intelligibility in Mandarin-Speaking Adult and Pediatric Cochlear Implant Patients.](#) Su Q, **Galvin JJ**, Zhang G, Li Y, Fu QJ. Trends Hear. 2016 Jun 30;20:2331216516654022. doi: 10.1177/2331216516654022.

[MPR-CT Imaging for Stapes Prosthesis: Accuracy and Clinical Significance.](#) Fang Y, Wang B, **Galvin JJ 3rd**, Tao D, Deng R, Ou X, Liu Y, Dai P, Sha Y, Zhang T, Chen B. Otol Neurotol. 2016 Apr;37(4):321-3. doi: 10.1097/MAO.0000000000000987.

[Envelope Interactions in Multi-Channel Amplitude Modulation Frequency Discrimination by Cochlear Implant Users.](#) **Galvin JJ 3rd**, Oba SI, Bařkent D, Chatterjee M, Fu QJ. PLoS One. 2015 Oct 2;10(10):e0139546. doi: 10.1371/journal.pone.0139546.

[Melodic contour identification and sentence recognition using sung speech.](#) Crew JD, **Galvin JJ 3rd**, Fu QJ. J Acoust Soc Am. 2015 Sep;138(3):EL347-51. doi: 10.1121/1.4929800.

[Modulation frequency discrimination with single and multiple channels in cochlear implant users.](#) **Galvin JJ 3rd**, Oba S, Bařkent D, Fu QJ. Hear Res. 2015 Jun;324:7-18. doi: 10.1016/j.heares.2015.02.007.

[Contributions of electric and acoustic hearing to bimodal speech and music perception.](#) Crew JD, **Galvin JJ 3rd**, Landsberger DM, Fu QJ. PLoS One. 2015 Mar 19;10(3):e0120279. doi: 10.1371/journal.pone.0120279.

[Benefits of music training in mandarin-speaking pediatric cochlear implant users.](#) Fu QJ, **Galvin JJ 3rd**, Wang X, Wu JL. J Speech Lang Hear Res. 2015 Feb;58(1):163-9. doi: 10.1044/2014_JSLHR-H-14-0127.

[Melodic pitch perception and lexical tone perception in Mandarin-speaking cochlear implant users.](#) Tao D, Deng R, Jiang Y, **Galvin JJ 3rd**, Fu QJ, Chen B. Ear Hear. 2015 Jan;36(1):102-10. doi: 10.1097/AUD.0000000000000086.

[Gender categorization is abnormal in cochlear implant users.](#) Fuller CD, Gaudrain E, Clarke JN, **Galvin JJ**, Fu QJ, Free RH, Başkent D. J Assoc Res Otolaryngol. 2014 Dec;15(6):1037-48. doi: 10.1007/s10162-014-0483-7.

[Mandarin speech perception in combined electric and acoustic stimulation.](#) Li Y, Zhang G, **Galvin JJ 3rd**, Fu QJ. PLoS One. 2014 Nov 11;9(11):e112471. doi: 10.1371/journal.pone.0112471.

[The musician effect: does it persist under degraded pitch conditions of cochlear implant simulations?](#) Fuller CD, **Galvin JJ 3rd**, Maat B, Free RH, Başkent D. Front Neurosci. 2014 Jun 30;8:179. doi: 10.3389/fnins.2014.00179.

[Contribution of auditory working memory to speech understanding in mandarin-speaking cochlear implant users.](#) Tao D, Deng R, Jiang Y, **Galvin JJ 3rd**, Fu QJ, Chen B. PLoS One. 2014 Jun 12;9(6):e99096. doi: 10.1371/journal.pone.0099096.

[Single- and multi-channel modulation detection in cochlear implant users.](#) **Galvin JJ 3rd**, Oba S, Fu QJ, Başkent D. PLoS One. 2014 Jun 11;9(6):e99338. doi: 10.1371/journal.pone.0099338.

[Perception of speech produced by native and nonnative talkers by listeners with normal hearing and listeners with cochlear implants.](#) Ji C, **Galvin JJ**, Chang YP, Xu A, Fu QJ. J Speech Lang Hear Res. 2014 Apr 1;57(2):532-54. doi: 10.1044/2014_JSLHR-H-12-0404.

[Musician effect in cochlear implant simulated gender categorization.](#) Fuller CD, **Galvin JJ 3rd**, Free RH, Başkent D. J Acoust Soc Am. 2014 Mar;135(3):EL159-65. doi: 10.1121/1.4865263.

[A method to dynamically control unwanted loudness cues when measuring amplitude modulation detection in cochlear implant users.](#) **Galvin JJ 3rd**, Fu QJ, Oba S, Başkent D. J Neurosci Methods. 2014 Jan 30;222:207-12. doi: 10.1016/j.jneumeth.2013.10.016.

[Cortical electrophysiological markers of language abilities in children with hearing AIDS: a pilot study.](#) Bakhos D, Delage H, **Galvin J**, Lescanne E, Roux S, Bonnet-Brilhault F, Bruneau N. *Biomed Res Int*. 2014;2014:198153. doi: 10.1155/2014/198153.

[Effect of speaking rate on recognition of synthetic and natural speech by normal-hearing and cochlear implant listeners.](#) Ji C, **Galvin JJ 3rd**, Xu A, Fu QJ. *Ear Hear*. 2013 May-Jun;34(3):313-23. doi: 10.1097/AUD.0b013e31826fe79e.

[Voice conversion in cochlear implantation.](#) Wilkinson EP, Abdel-Hamid O, **Galvin JJ 3rd**, Jiang H, Fu QJ. *Laryngoscope*. 2013 Apr;123 Suppl 3(0 3):S29-43. doi: 10.1002/lary.23744.

[Minimal effects of visual memory training on auditory performance of adult cochlear implant users.](#) Oba SI, **Galvin JJ 3rd**, Fu QJ. *J Rehabil Res Dev*. 2013;50(1):99-110. doi: 10.1682/jrrd.2011.12.0229.

[Channel interaction limits melodic pitch perception in simulated cochlear implants.](#) Crew JD, **Galvin JJ 3rd**, Fu QJ. *J Acoust Soc Am*. 2012 Nov;132(5):EL429-35. doi: 10.1121/1.4758770.

[Speech perception with music maskers by cochlear implant users and normal-hearing listeners.](#) Eskridge EN, **Galvin JJ 3rd**, Aronoff JM, Li T, Fu QJ. *J Speech Lang Hear Res*. 2012 Jun;55(3):800-10. doi: 10.1044/1092-4388(2011/11-0124).

[Influence of pitch, timbre and timing cues on melodic contour identification with a competing masker \(L\).](#) Zhu M, Chen B, **Galvin JJ 3rd**, Fu QJ. *J Acoust Soc Am*. 2011 Dec;130(6):3562-5. doi: 10.1121/1.3658474.

[Discrimination between sequential and simultaneous virtual channels with electrical hearing.](#) Landsberger D, **Galvin JJ 3rd**. *J Acoust Soc Am*. 2011 Sep;130(3):1559-66. doi: 10.1121/1.3613938.

[Digit training in noise can improve cochlear implant users' speech understanding in noise.](#) Oba SI, Fu QJ, **Galvin JJ 3rd**. *Ear Hear*. 2011 Sep-Oct;32(5):573-81. doi: 10.1097/AUD.0b013e31820fc821.

[Mandarin Chinese speech recognition by pediatric cochlear implant users.](#) Zhu M, Fu QJ, **Galvin JJ 3rd**, Jiang Y, Xu J, Xu C, Tao D, Chen B. *Int J Pediatr Otorhinolaryngol*. 2011 Jun;75(6):793-800. doi: 10.1016/j.ijporl.2011.03.009.

[Effect of bandpass filtering on melodic contour identification by cochlear implant users.](#) **Galvin JJ 3rd**, Fu QJ. J Acoust Soc Am. 2011 Feb;129(2):EL39-44. doi: 10.1121/1.3531708.

[Effect of stimulation rate on cochlear implant users' phoneme, word and sentence recognition in quiet and in noise.](#) Shannon RV, Cruz RJ, **Galvin JJ 3rd**. Audiol Neurotol. 2011;16(2):113-23. doi: 10.1159/000315115.

[A model of incomplete adaptation to a severely shifted frequency-to-electrode mapping by cochlear implant users.](#) Sagi E, Fu QJ, **Galvin JJ 3rd**, Svirsky MA. J Assoc Res Otolaryngol. 2010 Mar;11(1):69-78. doi: 10.1007/s10162-009-0187-6.

[Effects of stimulus duration on amplitude modulation processing with cochlear implants.](#) Luo X, **Galvin JJ**, Fu QJ. J Acoust Soc Am. 2010 Feb;127(2):EL23-9. doi: 10.1121/1.3280236.

[Melodic contour identification and music perception by cochlear implant users.](#) **Galvin JJ 3rd**, Fu QJ, Shannon RV. Ann N Y Acad Sci. 2009 Jul;1169:518-33. doi: 10.1111/j.1749-6632.2009.04551.x.

[Influence of stimulation rate and loudness growth on modulation detection and intensity discrimination in cochlear implant users.](#) **Galvin JJ 3rd**, Fu QJ. Hear Res. 2009 Apr;250(1-2):46-54. doi: 10.1016/j.heares.2009.01.009.

[Interactions between unsupervised learning and the degree of spectral mismatch on short-term perceptual adaptation to spectrally shifted speech.](#) Li T, **Galvin JJ 3rd**, Fu QJ. Ear Hear. 2009 Apr;30(2):238-49. doi: 10.1097/AUD.0b013e31819769ac.

[Effect of a competing instrument on melodic contour identification by cochlear implant users.](#) **Galvin JJ 3rd**, Fu QJ, Oba SI. J Acoust Soc Am. 2009 Mar;125(3):EL98-103. doi: 10.1121/1.3062148.

[Effect of instrument timbre on melodic contour identification by cochlear implant users.](#) **Galvin JJ 3rd**, Fu QJ, Oba S. J Acoust Soc Am. 2008 Oct;124(4):EL189-95. doi: 10.1121/1.2961171.

[Maximizing cochlear implant patients' performance with advanced speech training procedures.](#) Fu QJ, **Galvin JJ 3rd**. Hear Res. 2008 Aug;242(1-2):198-208. doi: 10.1016/j.heares.2007.11.010.

[Effect of spectral normalization on different talker speech recognition by cochlear implant users.](#) Liu C, **Galvin J 3rd**, Fu QJ, Narayanan SS. J Acoust Soc Am. 2008 May;123(5):2836-47. doi: 10.1121/1.2897047.

[Vocal emotion recognition by normal-hearing listeners and cochlear implant users.](#) Xin Luo, Fu QJ, **Galvin JJ 3rd**. Trends Amplif. 2007 Dec;11(4):301-15. doi: 10.1177/1084713807305301.

[Perceptual learning and auditory training in cochlear implant recipients.](#) Fu QJ, **Galvin JJ 3rd**. Trends Amplif. 2007 Sep;11(3):193-205. doi: 10.1177/1084713807301379.

[Melodic contour identification by cochlear implant listeners.](#) **Galvin JJ 3rd**, Fu QJ, Nogaki G. Ear Hear. 2007 Jun;28(3):302-19. doi: 10.1097/01.aud.0000261689.35445.20.

[Computer-Assisted Speech Training for Cochlear Implant Patients: Feasibility, Outcomes, and Future Directions.](#) Fu QJ, **Galvin JJ 3rd**. Semin Hear. 2007 May 1;28(2):10.1055/s-2007-973440. doi: 10.1055/s-2007-973440.

[Effect of training rate on recognition of spectrally shifted speech.](#) Nogaki G, Fu QJ, **Galvin JJ 3rd**. Ear Hear. 2007 Apr;28(2):132-40. doi: 10.1097/AUD.0b013e3180312669.

[Recognition of simulated telephone speech by cochlear implant users.](#) Fu QJ, **Galvin JJ 3rd**. Am J Audiol. 2006 Dec;15(2):127-32. doi: 10.1044/1059-0889(2006/016).

[Effects of stimulation mode, level and location on forward-masked excitation patterns in cochlear implant patients.](#) Chatterjee M, **Galvin JJ 3rd**, Fu QJ, Shannon RV. J Assoc Res Otolaryngol. 2006 Mar;7(1):15-25. doi: 10.1007/s10162-005-0019-2.

[Voice gender identification by cochlear implant users: the role of spectral and temporal resolution.](#) Fu QJ, Chinchilla S, Nogaki G, **Galvin JJ 3rd**. J Acoust Soc Am. 2005 Sep;118(3 Pt 1):1711-8. doi: 10.1121/1.1985024. PMID: 16240829

[Effects of stimulation rate, mode and level on modulation detection by cochlear implant users.](#) **Galvin JJ 3rd**, Fu QJ. J Assoc Res Otolaryngol. 2005 Sep;6(3):269-79. doi: 10.1007/s10162-005-0007-6.

[Auditory training with spectrally shifted speech: implications for cochlear implant patient auditory rehabilitation.](#) Fu QJ, Nogaki G, **Galvin JJ 3rd**. J Assoc Res Otolaryngol. 2005 Jun;6(2):180-9. doi: 10.1007/s10162-005-5061-6.

[Effects of auditory training on adult cochlear implant patients: a preliminary report.](#) Fu QJ, **Galvin J**, Wang X, Nogaki G. Cochlear Implants Int. 2004 Sep;5 Suppl 1:84-90. doi: 10.1179/cim.2004.5.Supplement-1.84.

[The role of spectral and temporal cues in voice gender discrimination by normal-hearing listeners and cochlear implant users.](#) Fu QJ, Chinchilla S, **Galvin JJ**. J Assoc Res Otolaryngol. 2004 Sep;5(3):253-60. doi: 10.1007/s10162-004-4046-1.

[The number of spectral channels required for speech recognition depends on the difficulty of the listening situation.](#) Shannon RV, Fu QJ, **Galvin J 3rd**. Acta Otolaryngol Suppl. 2004 May;(552):50-4. doi: 10.1080/03655230410017562.

[The effects of short-term training for spectrally mismatched noise-band speech.](#) Fu QJ, **Galvin JJ 3rd**. J Acoust Soc Am. 2003 Feb;113(2):1065-72. doi: 10.1121/1.1537708.

[Perceptual learning following changes in the frequency-to-electrode assignment with the Nucleus-22 cochlear implant.](#) Fu QJ, Shannon RV, **Galvin JJ 3rd**. J Acoust Soc Am. 2002 Oct;112(4):1664-74. doi: 10.1121/1.1502901.

[Holes in hearing.](#) Shannon RV, **Galvin JJ 3rd**, Baskent D. J Assoc Res Otolaryngol. 2002 Jun;3(2):185-99. doi: 10.1007/s101620020021. PMID: 12162368

[Speech dynamic range and its effect on cochlear implant performance.](#) Zeng FG, Grant G, Niparko J, **Galvin J**, Shannon R, Opie J, Segel P. J Acoust Soc Am. 2002 Jan;111(1 Pt 1):377-86. doi: 10.1121/1.1423926.

[Recognition of spectrally asynchronous speech by normal-hearing listeners and Nucleus-22 cochlear implant users.](#) Fu QJ, **Galvin JJ 3rd**. J Acoust Soc Am. 2001 Mar;109(3):1166-72. doi: 10.1121/1.1344158.

[Recognition of time-distorted sentences by normal-hearing and cochlear-implant listeners.](#) Fu QJ, **Galvin JJ 3rd**, Wang X. J Acoust Soc Am. 2001 Jan;109(1):379-84. doi: 10.1121/1.1327578.

[Amplitude mapping and phoneme recognition in cochlear implant listeners.](#) Zeng FG, **Galvin JJ 3rd**. Ear Hear. 1999 Feb;20(1):60-74. doi: 10.1097/00003446-199902000-00006.

[Encoding loudness by electric stimulation of the auditory nerve.](#) Zeng FG, **Galvin JJ 3rd**, Zhang C. Neuroreport. 1998 Jun 1;9(8):1845-8. doi: 10.1097/00001756-199806010-00033.